

Safety Data Sheet

Manganese Aluminum Briquettes

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Document owner: **MMC Laboratory**

Effective Date:
02 May 2017

Revision Date:
17/08/2017

Revision No:
1

Trade Name: Manganese Aluminum Briquettes

1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1. Product Identifier

Trade name: Manganese Aluminum Briquettes

CAS Number: 7439-96-5

Other means of identification: ALTOS Briquettes

1.2. Recommended use and restrictions

Recommended Use:

Laboratory Applications.

Industrial use.

Restrictions on use:

No relevant information available.

1.3. Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier name: MANGANESE METAL COMPANY

Address: PO Box 323, Nelspruit, South Africa, 1200

Telephone: (+-2713) 759 4600

Fax: (+-2713) 752 7657

Email: morne.ruiters@mmc.co.za

Website: <http://www.mmc.co.za>

1.4. Emergency telephone number(s)

Emergency (013) 759 4600

2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

GHS Classification(s) Specific Target Organ Systemic Toxicity (Repeated Exposure): Category 2.

2.2. Label elements

Signal word:

Warning

GHS label elements:

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:



Signal word: Warning

Hazard statements:

H373 May cause damage to organs through prolonged or repeated exposure.

Safety Data Sheet

Manganese Aluminum Briquettes

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Document owner: **MMC Laboratory**

Effective Date:
02 May 2017

Revision Date:
17/08/2017

Revision No:
1

Trade Name: Manganese Aluminum Briquettes

Precautionary statements:

P260 Do not breathe dust/fumes/gas/mist/vapour/spray

Response statement(s)

P314 Get medical advice/attention if you feel unwell

DISPOSE Statement(s)

Dispose of contents/container in accordance with relevant regulations

2.3. Other hazards

There are no other hazards not otherwise classified that have been identified.

3. COMPOSITION/ INFORMATION ON INGREDIENTS

Ingredient	CAS number	EC number	Content
MANGANESE	7439-96-5	215-695-8	85%
Aluminum Powder	7429-90-5	231-072-3	15 %

4. FIRST AID MEASURES

4.1. Description of first aid measures

After inhalation:

Supply fresh air; consult doctor in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

After skin contact:

Remove contaminated clothing

Brush off loose particles from skin. Wash with soap and water or diphoterine until told to stop by a doctor.

If skin irritation is experienced, consult a doctor.

After eye contact:

Remove contact lenses if worn.

Rinse opened eye with water or diphoterine for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Coughing

Breathing difficulty

Slight irritant effect on eyes.

Gastric or intestinal disorders when ingested. Nausea in case of ingestion.

Indication of any immediate medical attention and special treatment needed:

No relevant information available.

Trade Name: Manganese Aluminum Briquettes

5. FIREFIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing agents:

Use an extinguishing agent suitable for surrounding fire

Fire-extinguishing powder

Limestone powder

Dry sand.

For safety reasons unsuitable extinguishing agents:

Water.

5.2. Special hazards arising from the substance or mixture

Non-flammable, May evolve hydrogen gas in contact with water, acids or alkalis. Dust may form explosive mixture with air.

5.3. Advice for firefighters

Treat as per requirements for surrounding fires. Evacuate area and contact emergency services.

Remain upwind and notify those on the downwind side of hazard. Use waterfog to cool intact contain and nearby storage. Wear full protective equipment including self-Contained breathing Apparatus (SCBA).

Protective equipment:

Wear self-contained respiratory protective device. Wear fully protective suit.

6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal Protective equipment (PPE) as detailed in section 8 of the SDS.

Ensure adequate ventilation. Avoid formation of dust.

Use personal protective equipment as required.

6.2. Environmental precautions

Avoid release to the environment.

Damp down dust with water spray.

6.3. Methods and material for containment and cleaning up

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

6.4. Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Trade Name: Manganese Aluminum Briquettes

7. HANDLING AND STORAGE

7.1. Handling

Precautions for safe handling:

Any deposit of dust which cannot be avoided must be regularly removed.

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water. Use only in well ventilated areas.

Information about protection against explosions and fires:

Dust can combine with air to form an explosive mixture.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame. Protect from humidity and water.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Further information about storage conditions: Keep containers tightly sealed.

7.3. Specific end use(s)

No relevant information available.

8. EXPOSURE CONTROLS/ PERSONAL PROTECTION

8.1. Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

7439-96-5 manganese

PEL (USA)	Ceiling limit value: 5 mg/m ³ as Mn
REL (USA)	Short-term value: 3 mg/m ³ Long-term value: 1 mg/m ³ fume, as Mn
TLV (USA)	Long-term value: 0.02* 0.1* mg/m ³ as Mn; *respirable **inhalable fraction
EL (Canada)	Long-term value: 0.2 mg/m ³ as Mn; R
EV (Canada)	Long-term value: 0.2 mg/m ³ as manganese
LMPE (Mexico)	Long-term value: 0.2 mg/m ³ como Mn

Trade Name: Manganese Aluminum Briquettes

8.2. Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed. Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work. Do not inhale dust / smoke / mist.

Avoid contact with the eyes.

Avoid close or long term contact with the skin.

Engineering controls: No relevant information available.

Breathing equipment:

Not required under normal conditions of use.

Wear appropriate NIOSH respirator when ventilation is inadequate and occupational exposure limits are exceeded.

For spills, respiratory protection may be advisable.

Use respiratory protection when grinding or cutting material.

Protection of hands:

Gloves are advised for repeated or prolonged contact.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Eye protection: Follow relevant national guidelines concerning the use of protective eyewear.

Body protection:

Not required under normal conditions of use. Protection may be required for spills.

Limitation and supervision of exposure into the environment No special requirements.

Risk management measures No special requirements.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance:	
Form:	Powder
Colour:	orange to brown
Odour:	odourless
Odour Threshold	Not determined.
pH-value:	Not applicable.
Melting point/Melting range:	1245-1246 °C (2273-2275 °F)
Boiling point/Boiling range:	2061-2097 °C (3742-3807 °F)
Flash point:	Not applicable.
Flammability (solid, gaseous):	May form combustible dust concentrations in air.
Auto-ignition temperature:	Not applicable.
Decomposition temperature:	Not determined.
Danger of explosion:	May form combustible dust concentrations in air.

Safety Data Sheet

Manganese Aluminum Briquettes

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Document owner: **MMC Laboratory**

Effective Date:
02 May 2017

Revision Date:
17/08/2017

Revision No:
1

Trade Name: Manganese Aluminum Briquettes

Explosion limits	
Lower:	Not determined.
Upper:	Not determined.
Oxidizing properties:	Non-oxidizing
Vapor pressure at 955 °C (1751 °F):	1 Pa
Density:	
Relative density:	4.5 g/cm ³ (60.084 lbs/gal)
Vapor density:	Not applicable.
Evaporation rate:	Not applicable.
Solubility in / Miscibility with Water:	Insoluble.
Partition coefficient (n-octanol/water):	Not applicable.
Viscosity	
Dynamic:	Not applicable.
Kinematic:	Not applicable.
Other information	No relevant information available.

10. STABILITY AND REACTIVITY

10.1. Reactivity

No relevant information available.

Chemical stability: Stable under normal temperatures and pressures.

Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications. May form combustible dust concentrations in air.

10.2. Possibility of hazardous reactions

Reacts with strong acids and oxidizing agents. Reacts with strong alkali.

Risk of dust explosion if enriched with fine dust in the presence of air.

10.3. Conditions to avoid

Moisture.

Prevent formation of dust.

10.4. Incompatible materials

Oxidizers, strong bases, strong acids

10.5. Hazardous decomposition products

Under fire conditions only: Toxic metal oxide smoke

Trade Name: Manganese Aluminum Briquettes

11. TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

7439-96-5 manganese

Oral	LD50	9000 mg/kg (rat)
------	------	------------------

Primary irritant effect:

On the skin: Slight irritant effect on skin and mucous membranes.

On the eye: Slight irritant effect on eyes.

Sensitization: Based on available data, the classification criteria are not met.

IARC (International Agency for Research on Cancer):

Substance is not listed.

NTP (National Toxicology Program):

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration):

Substance is not listed.

Probable route(s) of exposure:

Ingestion. Inhalation. Eye contact. Skin contact.

Repeated dose toxicity: Long term inhalation of product dust may be harmful.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure: Based on available data, the classification criteria are not met.

STOT-repeated exposure: Based on available data, the classification criteria are not met.

Aspiration hazard: Based on available data, the classification criteria are not met.

12. ECOLOGICAL INFORMATION

12.1. Toxicity

Aquatic toxicity No relevant information available.

12.2. Persistence and degradability

Inorganic product, is not eliminable from water by means of biological cleaning processes.

12.3. Bioaccumulative potential:

No relevant information available.

Safety Data Sheet

Manganese Aluminum Briquettes

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Document owner: **MMC Laboratory**

Effective Date:
02 May 2017

Revision Date:
17/08/2017

Revision No:
1

Trade Name: Manganese Aluminum Briquettes

12.4. Mobility in soil:

No relevant information available.

12.5. Additional ecological information

General notes: Avoid release to the environment.

12.6. Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

12.7. Other adverse effects

No relevant information available.

13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Recommendation:

Contact waste processors for recycling information.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

13.2. Uncleaned packagings

Recommendation: Disposal must be made according to official regulations.

14. TRANSPORT INFORMATION

UN-Number DOT, ADR, IMDG, IATA	Not regulated.
UN proper shipping name DOT, ADR, IMDG, IATA	Not regulated.
Transport hazard class(es) DOT, ADR, IMDG, IATA Class	Not regulated.
Packing group DOT, ADR, IMDG, IATA	Not regulated.
Environmental hazards Marine pollutant:	No
Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.

Safety Data Sheet

Manganese Aluminum Briquettes

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Document owner: **MMC Laboratory**

Effective Date:
02 May 2017

Revision Date:
17/08/2017

Revision No:
1

Trade Name: Manganese Aluminum Briquettes

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture

United States (USA)

SARA

Section 302 (extremely hazardous substances):

Substance is not listed

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is listed.

TSCA (Toxic Substances Control Act)

Substance is listed.

Proposition 65 (California)

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Carcinogenic categories

EPA (Environmental Protection Agency):

IARC (International Agency for Research on Cancer):

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health):

Substance is not listed.

Canadian Domestic Substances List (DSL):

Substance is listed.

Safety Data Sheet

Manganese Aluminum Briquettes

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Document owner: **MMC Laboratory**

Effective Date:
02 May 2017

Revision Date:
17/08/2017

Revision No:
1

Trade Name: Manganese Aluminum Briquettes

16. OTHER INFORMATION

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Date of preparation / last revision 02/05/2017 / - 17-08-2017

Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health

LDLo: Lowest Lethal Dose Observed

Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org) Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS PREPARED BY:

MANGANESE METAL COMPANY

P O BOX 323

MBOMBELA

1200

TEL NUMBER (013) 7594600

WEBSITE: WWW.MMC.CO.ZA

Safety Data Sheet

Manganese Aluminum Briquettes

acc. to OSHA HCS (29CFR 1910.1200) and WHMIS 2015 regulations

Document owner: **MMC Laboratory**

Effective Date:
02 May 2017

Revision Date:
17/08/2017

Revision No:
1

Trade Name: Manganese Aluminum Briquettes

17. AMENDMENT HISTORY

The following information documents the last changes

Date	Revised by	Changes
25 August 2017	S Kampers Parsley Studios	Changed MMC logo and the document format, no changes to the actual content of the document was made.